

#### 1. Product and company identification

**ERTALON® 66-GF30** Commercial product name:

Company (manufacturer): Quadrant EPP Belgium NV

I.P. Noord - R. Tavernierlaan 2

B - 8700 Tielt

Tel.: +32-51-42-35-11 Fax: +32-51-42-33-00



## 2. Composition and information on ingredients

This product is a chemical substance.

Chemical characterisation (eventually with synonyms): Polyamide 66 (nylon 66) with 30% glass

Chemical structure: PA 66

$$\begin{bmatrix} H & H & 0 & 0 \\ I & I & II & II \\ -N - (CH_2)_6 - N - C - (CH_2)_4 - C - I_0 \end{bmatrix}$$

CAS Nr. ('Chemical Abstract Service Registry Number'): PA66: 32131-17-2 / Glass fibres: 9002-84-0

#### 3. Hazards identification

Most important hazards: No critical hazards for man and environment in case of normal storing,

handling and usage.

Specific hazards: Not applicable

#### 4. First-aid measures

In case the plastic burns and combustion gases are inhaled, Inhalation: immediately leave the room and get medical help.

Skin contact: In case material comes in contact with the skin, the skin needs to be ringed theroughly with cold water. Do not try to remove the molten material. Get medical assistance for the removal of the tacky material and care of the burn.

#### 5. Fire-fighting measures

Suitable extinguishing media: water, foam, dry chemical, CO<sub>2</sub>.

Extinguishing media which must not be used for safety reasons: None.

Special exposure hazards arising from the substance or preparation itself, combustion products or resulting gases: See section 10.

#### Special protective equipment for fire-fighters:

Firemen should wear self-contained breathing apparatus and protective clothing to prevent contact with skin and/or eyes. If exposed to combustion fumes in a high concentration, bring the victim into fresh air. If molten material contacts skin, cool rapidly with cold water and obtain medical attention for removal of adhering material and treatment of the burn.

# ERTALON® 66-GF30



### 6. Accidental release measures

**Personal precautions:** Not applicable

**Environmental precautions:** See section 12 & 13

Methods for cleaning up: See section 13

#### 7. Handling and storage

Handling:

**Technical measures:** Not applicable **Precautions:** Not applicable

Safe handling advice: During machining of the stock shapes, evacuate swarf to prevent skipping

or tripping hazard

Storage:

**Technical measures:** Not applicable

**Safe storage conditions:** Inert under normal storage conditions

Incompatible products: Not applicable Safe packaging materials: Not applicable

#### 8. Exposure controls / personal protection

Engineering measures to minimize worker exposure: None

Personal protection:

Respiratory protection:
Hand protection:

None (except when the product burns of request with warm material.

Eye protection: Safety goggles during machining.

Industrial hygiene: Follow good standard industrial practice. No special precautions.

#### 9. Physical and chemical properties

Appearance: Form: Stock shapes (plate and rod)

Colour: Black

Odour: No special odour

**Change in physical state: Boiling point/boiling range:** Not applicable

Melting point/melting range: 255°C

Flash point: Not applicable

Vapour pressure: // Not applicable

Self ignition temperature: /// 530°C ASTM D 1929

pH: Not applicable

**Density (at 23°C):** 1.29 g/cm<sup>3</sup> ISO 1183

**Solubility in water:** Negligible

Thermal decomposition: > 320°C

**ACCORDING TO** 

## RTALON® 66-GF30



#### 10. Stability and reactivity

Stability: In normal circumstances, the plastic and its chips are stable.

Temperatures above the melting point/melting range (see section 9) Conditions to avoid:

Hazardous decomposition products: The main products formed in case of overheating or combustion are, apart

from harmless H<sub>2</sub>O and CO<sub>2</sub>, mainly CO (depending on the amount of available

environmental oxygen), NOx and traces of HCN.

## 11. Toxicological information

Acute toxicity: This material is not considered as being harmful to human health

Local effects: Not applicable

#### 12. Ecological information

This material does not harm the environment but is not biologically degradable

#### 13. Disposal considerations

Residual waste: When recycling is impossible, incineration or landfill. Disposal methods must

conform to local or other government regulations. This product does not

contain cadmium pigments or cadmium stabilizers.

Contaminated packaging: Not applicable

#### 14. Transport information

International regulations: Not applicable

## 15. Regulatory information

Classification and labelling according to the relevant EU-directives is not required.

## 16. Other information

Read the product information brochures before using Quadrant EPP materials.

All information supplied by or on behalf of Quadrant Engineering Plastic Products in relation to its products, whether in the nature of data, recommendations or otherwise, is supported by research and believed reliable, but Quadrant Engineering Plastic Products assumes no liability whatsoever in respect of application, processing or use made of the aforementioned information or products, or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify, or any consequence thereof. No liability whatsoever shall attach to Quadrant Engineering Plastic Products for any infringement of the rights owned or controlled by a third party in intellectual, industrial or other property by reason of the application, processing or use of the aforementioned information ERTALON® is a registered trade mark of Quadrant AG - ® 2003 Copyright Quadrant AG - Edition September 2003